



Comprehensive Screen (Serum, Plasma) - KIT

Collection & Contents

Collection Requirements

FASTING -Do not consume any food for 12 hours prior to the blood draw.

Shipping Requirements

Sample Must Be Shipped Same Day— ONLY Ship samples Monday— Thursday

Kit Contents

Contact Us if any items are damaged or missing

Quantity	Item Description	Quantity	Item Description
1	Cold pack	1	Green top transfer tube
1	Requisition form	1	Transfer pipette
1	Biohazard bag with gauze pad		
1	Silver insulated envelope		
1	Prepaid shipping label		
1	Lab shipping pack		
2	Serum separator tube (SST)		
2	Lavender top EDTA tubes		
1	Green top Heparin tube		

Sample Stability

Refrigerate samples at 2—8 C° until shipment. We ask that samples are received within 1 days of collection. Do not freeze the samples.

Contact Us

9 Dunwoody Park, Dunwoody, GA 30338
(678) 736-6374 | info@precisionpointdiagnostics.com
www.precisionpointdiagnostics.com



Comprehensive Screen (Serum, Plasma) - KIT

Collection & Contents

Collection Requirements

FASTING -Do not consume any food for 12 hours prior to the blood draw.

Shipping Requirements

Sample Must Be Shipped Same Day— ONLY Ship samples Monday— Thursday

Kit Contents

Contact Us if any items are damaged or missing

Quantity	Item Description	Quantity	Item Description
1	Cold pack	1	Green top transfer tube
1	Requisition form	1	Transfer pipette
1	Biohazard bag with gauze pad		
1	Silver insulated envelope		
1	Prepaid shipping label		
1	Lab shipping pack		
2	Serum separator tube (SST)		
2	Lavender top EDTA tubes		
1	Green top Heparin tube		

Sample Stability

Refrigerate samples at 2—8 C° until shipment. We ask that samples are received within 1 days of collection. Do not freeze the samples.

Contact Us

9 Dunwoody Park, Dunwoody, GA 30338
(678) 736-6374 | info@precisionpointdiagnostics.com
www.precisionpointdiagnostics.com

Specimen Collection Instructions

1. Place cold pack in freezer for at least 4-6 hours minimum before shipping.
2. Collect the blood in the 2 SST, 2 lavender-top EDTA tubes, 1and 1 green-top Heparin tubes provided.
3. Invert tubes gently 6 times, allow blood to clot between 30-45 minutes
4. Centrifuge Green top Heparin Tube.
5. Transfer Plasma to Green Top Transfer Tube. Only send in RBCs in Heparin tube and discard plasma in Transfer Tube.
6. Using a permanent marker, write the patients first and last name, date of birth, and date of collection on each sample tube.
7. Store sample Store sample in the refrigerator at 2-8 °C until ready to ship.

Shipping Instructions

1. Make sure the specimen tubes are properly labeled.
- Improperly labeled tubes cannot be processed.**
2. Place the tube(s) inside of the biohazard bag and seal the bag. Do not remove gauze pad.
 3. Complete the Test Requisition Form, fold and place the form within the outer pocket of the biohazard bag.
 4. Place the biohazard bag into the insulated shipping envelope.
 5. Place the cold pack inside the silver insulated envelope.
 6. Seal the envelope and place it inside the kit box.
 7. Place the kit box inside the lab mailing pack.
 8. Attach prepaid shipping label.
 9. Take the package to the shipping carrier's storefront location or call the carrier to schedule a pickup.

Contact Us

9 Dunwoody Park, Dunwoody, GA 30338
(678) 736-6374 | info@precisionpointdiagnostics.com
www.precisionpointdiagnostics.com

Specimen Collection Instructions

1. Place cold pack in freezer for at least 4-6 hours minimum before shipping.
2. Collect the blood in the 2 SST, 2 lavender-top EDTA tubes, 1and 1 green-top Heparin tubes provided.
3. Invert tubes gently 6 times, allow blood to clot between 30-45 minutes
4. Centrifuge Green top Heparin Tube.
5. Transfer Plasma to Green Top Transfer Tube. Only send in RBCs in Heparin tube and discard plasma in Transfer Tube.
6. Using a permanent marker, write the patients first and last name, date of birth, and date of collection on each sample tube.
7. Store sample Store sample in the refrigerator at 2-8 °C until ready to ship.

Shipping Instructions

1. Make sure the specimen tubes are properly labeled.
- Improperly labeled tubes cannot be processed.**
2. Place the tube(s) inside of the biohazard bag and seal the bag. Do not remove gauze pad.
 3. Complete the Test Requisition Form, fold and place the form within the outer pocket of the biohazard bag.
 4. Place the biohazard bag into the insulated shipping envelope.
 5. Place the cold pack inside the silver insulated envelope.
 6. Seal the envelope and place it inside the kit box.
 7. Place the kit box inside the lab mailing pack.
 8. Attach prepaid shipping label.
 9. Take the package to the shipping carrier's storefront location or call the carrier to schedule a pickup.

Contact Us

9 Dunwoody Park, Dunwoody, GA 30338
(678) 736-6374 | info@precisionpointdiagnostics.com
www.precisionpointdiagnostics.com