

PATIENT NAME:	SAMPLE PATIENT	CLINIC:	
REQUISITION ID:	ART1006270001		
DOB:	1/6/1970		
SAMPLE DATE:	2/13/2011		
RECEIVE DATE:	2/16/2011		
REPORT DATE:	10/27/2025		
			PRECISION POINT DIAGNOSTICS 9 Dunwoody Park Dunwoody, GA 30338, USA Phone: (678)736-6374 Fax: 7706741701



SERUM HORMONE WELLNESS PANEL 1/2

Follicle Stim. Hormone (FSH)

PATIENT RESULT

5.00
mIU/mL

Female	
Follicular Phase	4-8.78 mIU/mL
Mid-Cycle	5-22.51 mIU/mL
Luteal Phase	2-5.12 mIU/mL
Post Menopausal	17-113.59 mIU/mL
Male	2-9 mIU/mL

Lutenizing Hormone (LH)

PATIENT RESULT

25.00
mIU/mL

Follicular Phase	2-10.89 mIU/mL
Mid-Cycle Peak	19-103.03 mIU/mL
Mid- Luteal Peak	1-12.86 mIU/mL
Post Menopausal	11-58.64 mIU/mL

Sensitive Estradiol (SNSE2)

PATIENT RESULT

40.00
pg/dL

Follicular Phase	24-144 pg/ml
Peri-Ovulatory	62-534 pg/ml
Mid-Luteal Phase	80-273 pg/ml
Post-Menopause Female	20-88 pg/ml
Males	20-75 pg/ml

Sex Hormone Binding Glob

PATIENT RESULT

20.00
nmol/mL

18-144 nmol/L

This test was developed and its performance characteristics determined by Dunwoody Labs or third-party reference affiliates. FDA clearance is not currently required for clinical use. Results are not intended to be used as the sole means for clinical diagnosis. Clinical correlation is required. Run by American Clinical Laboratories, Inc. CLIA ID: 11D0700169

Analysis performed by Dunwoody Labs
Clinical Laboratory Director: Dr. Michael Heck

GA Clinical License: 044-160
CLIA ID: 11D1101209

PATIENT NAME:	SAMPLE PATIENT	CLINIC:	
REQUISITION ID:	ART1006270001		
DOB:	1/6/1970		
SAMPLE DATE:	2/13/2011		
RECEIVE DATE:	2/16/2011		
REPORT DATE:	10/27/2025		
			PRECISION POINT DIAGNOSTICS 9 Dunwoody Park Dunwoody, GA 30338, USA Phone: (678)736-6374 Fax: 7706741701



SERUM HORMONE WELLNESS PANEL 2/2

Progesterone (P)

PATIENT RESULT

16.00

ng/mL

Male	2-10.89 ng/ml
Female	19-103.03 ng/ml
Post Menopausal	11-58.64 ng/ml
Follicular Phase	0-2.5 ng/ml
Luteal Phase	3-21.5 ng/ml
Pregnancy:	
First Trimester	4-34 ng/ml
Second Trimester	24-76 ng/ml
Third Trimester	52-302 ng/ml

Testosterone (T), Total

PATIENT RESULT

20.00

ng/mL

Male	28-800 ng/dl
Women	6-82 ng/dl
Boys	
1-6 yrs	12-21 ng/dl
7-12 yrs	3-32 ng/dl
13-17 yrs	28-1110 ng/dl

Secretory IgA (SIgA)

PATIENT RESULT

50.00

µg/mL

Normal Range	53 -225 pg/ml
--------------	---------------

This test was developed and its performance characteristics determined by Dunwoody Labs or third-party reference affiliates. FDA clearance is not currently required for clinical use. Results are not intended to be used as the sole means for clinical diagnosis. Clinical correlation is required. Run by American Clinical Laboratories, Inc. CLIA ID: 11D0700169

Analysis performed by Dunwoody Labs
Clinical Laboratory Director: Dr. Michael Heck


GA Clinical License: 044-160
CLIA ID: 11D1101209

PATIENT NAME:	SAMPLE PATIENT	CLINIC:	
REQUISITION ID:	ART1006270001		
DOB:	1/6/1970		
SAMPLE DATE:	2/13/2011		
RECEIVE DATE:	2/16/2011		
REPORT DATE:	10/27/2025		
			PRECISION POINT DIAGNOSTICS 9 Dunwoody Park Dunwoody, GA 30338, USA Phone: (678)736-6374 Fax: 7706741701




COMPLETE THYROID PANEL

T4, Total




Reportable Range
4.5-11.7 µg/mL

Thyroid Stim. Hormone (TSH3)




Reportable Range
0.27-4.2 µIU/mL

T4, Free




Reportable Range
0.9-1.7ng/mL

Thyroglobulin Antibody




Reportable Range
0.00-32.00 IU/mL

T3, Total




Reportable Range
0.79-1.65 ng/mL

Thyroid Peroxidase Antibody



Reportable Range
0.0-5.6 IU/mL

T3, Free



Reportable Range
0.0-5.6 IU/mL

This test was developed and its performance characteristics determined by Dunwoody Labs or third-party reference affiliates. FDA clearance is not currently required for clinical use. Results are not intended to be used as the sole means for clinical diagnosis. Clinical correlation is required. Run by American Clinical Laboratories, Inc. CLIA ID: 11D0700169


Analysis performed by Dunwoody Labs
Clinical Laboratory Director: Dr. Michael Heck

GA Clinical License: 044-160
CLIA ID: 11D1101209

PATIENT NAME:	SAMPLE PATIENT	CLINIC:	
REQUISITION ID:	ART1006270001		
DOB:	1/6/1970		
SAMPLE DATE:	2/13/2011		
RECEIVE DATE:	2/16/2011		
REPORT DATE:	10/27/2025		
			PRECISION POINT DIAGNOSTICS 9 Dunwoody Park Dunwoody, GA 30338, USA Phone: (678)736-6374 Fax: 7706741701



Cortisol Results & Times



CORTISOL RESULTS

24, 5.5, 0.6, 1.6

ng/mL

RUN TIMES

7:00 AM, 11:00 AM, 3:00 PM, 6:00 PM

Female	
Follicular Phase	4-8.78 mIU/mL
Mid-Cycle	5-22.51 mIU/mL
Luteal Phase	2-5.12 mIU/mL
Post Menopausal	17-113.59 mIU/mL
Male	2-9 mIU/mL

This test was developed and its performance characteristics determined by Dunwoody Labs or third-party reference affiliates. FDA clearance is not currently required for clinical use. Results are not intended to be used as the sole means for clinical diagnosis. Clinical correlation is required. Run by American Clinical Laboratories, Inc. CLIA ID: 11D0700169

Analysis performed by Dunwoody Labs
Clinical Laboratory Director: Dr. Michael Heck

GA Clinical License: 044-160
CLIA ID: 11D1101209