



## Precision Airborne Allergy (Serum) - KIT

### Collection & Contents

#### Collection Requirements

Steroids should be discontinued 72 hours before testing.

#### Shipping Requirements

**ONLY** Ship samples Monday— Thursday

#### Kit Contents

Contact us if any items are damaged or missing

Quantity	Item Description
1	Cold pack
1	Requisition form
1	Biohazard bag with gauze pad
1	Prepaid shipping label
1	Laboratory shipping pack
1	Transfer pipette
1	Serum separator tube (SST)
1	Blue top transfer tube

#### Sample Stability

Refrigerate samples at 2—8 C° until shipment. We ask that samples are received within 6 days of collection. Do not freeze the samples.

#### Contact Us

9 Dunwoody Park, Dunwoody, GA 30338  
(678) 736-6374 | [info@precisionpointdiagnostics.com](mailto:info@precisionpointdiagnostics.com)  
[www.precisionpointdiagnostics.com](http://www.precisionpointdiagnostics.com)



## Precision Airborne Allergy (Serum) - KIT

### Collection & Contents

#### Collection Requirements

Steroids should be discontinued 72 hours before testing.

#### Shipping Requirements

**ONLY** Ship samples Monday— Thursday

#### Kit Contents

Contact us if any items are damaged or missing

Quantity	Item Description
1	Cold pack
1	Requisition form
1	Biohazard bag with gauze pad
1	Prepaid shipping label
1	Laboratory shipping pack
1	Transfer pipette
1	Serum separator tube (SST)
1	Blue top transfer tube

#### Sample Stability

Refrigerate samples at 2—8 C° until shipment. We ask that samples are received within 6 days of collection. Do not freeze the samples.

#### Contact Us

9 Dunwoody Park, Dunwoody, GA 30338  
(678) 736-6374 | [info@precisionpointdiagnostics.com](mailto:info@precisionpointdiagnostics.com)  
[www.precisionpointdiagnostics.com](http://www.precisionpointdiagnostics.com)

### Specimen Collection Instructions

1. Place cold pack in freezer for at least 4-6 hours minimum before shipping.
2. Collect the blood in the SST tube provided.
3. Invert the tube gently 6 times, allow blood to clot between 30-45 minutes
4. Centrifuge the blood for 15-20 minutes.
5. if gel barrier still has cells above gel, spin additional 5 minutes or transfer serum into transfer tube.
6. Transfer the serum from the SST tubes to the Blue Top transfer tubes.
7. Using a permanent marker, write the patient's first and last name, date of birth, and date of collection on each sample tube.
8. Store the sample in a 2-8°C refrigerator until ready to ship. Do not freeze.

**Frozen samples will not be processed.**

### Shipping Instructions

1. Make sure the specimen tubes are properly labeled.  
**Improperly labeled tubes cannot be processed.**
2. Place the tube(s) inside of the biohazard bag and seal the bag. Do not remove gauze pad.
3. Complete the Test Requisition Form, fold and place the form within the outer pocket of the biohazard bag.
4. Place the biohazard bag into the silver insulated envelope.
5. Place the cold pack inside the silver insulated envelope.
6. Seal the envelope and place it inside the kit box.
7. Place the kit box inside the lab mailing pack.
8. Attach prepaid shipping label. ***Record the tracking number for your records.***
9. Take the package to the shipping carrier's storefront location or call the carrier to schedule a pickup.

### Contact Us

9 Dunwoody Park, Dunwoody, GA 30338  
(678) 736-6374 | [info@precisionpointdiagnostics.com](mailto:info@precisionpointdiagnostics.com)  
[www.precisionpointdiagnostics.com](http://www.precisionpointdiagnostics.com)

### Specimen Collection Instructions

1. Place cold pack in freezer for at least 4-6 hours minimum before shipping.
2. Collect the blood in the SST tube provided.
3. Invert the tube gently 6 times, allow blood to clot between 30-45 minutes
4. Centrifuge the blood for 15-20 minutes.
5. if gel barrier still has cells above gel, spin additional 5 minutes or transfer serum into transfer tube.
6. Transfer the serum from the SST tubes to the Blue Top transfer tubes.
7. Using a permanent marker, write the patient's first and last name, date of birth, and date of collection on each sample tube.
8. Store the sample in a 2-8°C refrigerator until ready to ship. Do not freeze.

**Frozen samples will not be processed.**

### Shipping Instructions

1. Make sure the specimen tubes are properly labeled.  
**Improperly labeled tubes cannot be processed.**
2. Place the tube(s) inside of the biohazard bag and seal the bag. Do not remove gauze pad.
3. Complete the Test Requisition Form, fold and place the form within the outer pocket of the biohazard bag.
4. Place the biohazard bag into the silver insulated envelope.
5. Place the cold pack inside the silver insulated envelope.
6. Seal the envelope and place it inside the kit box.
7. Place the kit box inside the lab mailing pack.
8. Attach prepaid shipping label. ***Record the tracking number for your records.***
9. Take the package to the shipping carrier's storefront location or call the carrier to schedule a pickup.

### Contact Us

9 Dunwoody Park, Dunwoody, GA 30338  
(678) 736-6374 | [info@precisionpointdiagnostics.com](mailto:info@precisionpointdiagnostics.com)  
[www.precisionpointdiagnostics.com](http://www.precisionpointdiagnostics.com)